



# It's about the way you cook, and your unique sense of style.

A range hood from Broan-NuTone is a study in visual design and powerful performance. But it's also a study in ergonomics, sound, and functionality—from the moment it's turned on, to cleaning filters and surfaces. We design ventilation solutions that simplify the way you work, and make that special gathering place called the kitchen the most comfortable and stylish place it can be. Let us show you.

Scan the code to shop all models







#### **EWP/EWT Series**

Style and superior performance make this chimney range hood the perfect addition to any kitchen. Quiet operation and bright LED lighting enhance your cooking experience, while the sleek 4-speed capacitive touch control makes operation and cleanup easy.

- Ultra-quiet 640 MAX Blower CFM operates at best-in-class <0.3 sones at normal speed.
- Bright 2-level LED modules.
- Tap-touch, 4-speed capacitive control features a smooth, easy-to-clean surface.
- Dishwasher-safe hybrid baffle filters feature quick-release latch for easy removal.
- Code Ready™ Technology provides the ability to meet codes and reduce airflow to 300 or 400 CFM.
- 15-minute delay-off function keeps hood running after cooking to ensure smoke and odors have cleared the environment.
- Optional non-duct recirculation kit and filters available.
- Ducted/non-ducted telescopic flue extension accommodates 8' to 9' ceiling heights. Flue extensions available to accommodate ceiling heights from 9' to 10'.
- Installation brackets are included for easy installation.
- Available in a stainless steel finish







#### EWT1 640 CFM | <0.3 Sones



30" 36"







#### **EW4 Series**

Step up to new levels of ventilation performance with the perfect look, optimal power, and a solution built for any budget. Enjoy deluxe control and lighting features, easy-to-clean filters, as well as unsurpassed blower performance in the new premium chimney hoods from Broan-NuTone.

- Bright 2-level LED module.
- Tap-touch, 3-speed capacitive control with an easy-to-clean surface.
- Dishwasher-safe filters with quick-release latch.
- Code Ready™ Technology provides the ability to comply with local makeup air codes and reduce airflow to 300 CFM.
- 10-minute delay-off function keeps hood running after cooking to properly clear the air.
- Optional non-duct recirculation kit and filters available.
- Ducted/non-ducted flue extension for 8' to 9' ceiling heights. Optional flue for 9' to 10' ceiling heights.
- Installation brackets included for easy installation.
- Available in stainless steel, black stainless steel, or white finishes.








#### **EW48** 460 CFM | 1.5 Sones



## **EW43** 460 CFM | 1.5 Sones





30" 36"






#### **Pro Series**

Now you can achieve the bold look and performance of professionalstyle range hoods in widths that cover popular cooking appliance sizes. A range of accessories enables configurable solutions for the serious cook.

- Pro-style, dishwasher-safe baffle filters with removable grease drip rail.
- Variable-speed control remembers last setting—blue LED power-on indicator light.
- Heat Sentry<sup>™</sup> detects excessive heat and adjusts blower speed automatically.
- Bright halogen lighting; two 50-watt bulbs in 30" and 36" widths, three 50-watt bulbs in 42" and 48" widths (purchase bulbs separately).
- Designed to duct out of the hood shell in either horizontal or vertical direction with internal blowers.
- Designed to work with Broan Automatic Make-Up Air Damper.
- When venting to the exterior is not possible, an optional non-duct kit will filter air through charcoal filters and recirculate it back into the kitchen.
- E60000 has a 24" depth and E64000 has a 22" depth.
- E60000 42" and 48" widths and E64000 48" width have a 1290 MAX Blower CFM option.
- Available in a stainless steel finish.







42" 48"

30" 36"

E64000

650 CFM | 2.0 Sones

42" 48"



#### **Powerpack Series**

Broan Powerpack inserts nest perfectly in your custom cabinetry while providing the power you expect. Stainless steel liners enable a custom fit and appearance while protecting your cabinetry from heat, steam, and cooking effluents.

- Efficient blower operates as low as 1 sone at normal speed.
- Bright 1-level, heat-resistant LED bulbs enhance your cooking experience.
- PM300SS 2-speed rocker controls operate the fan speeds. PM400SS has rotary controls.
- EZ1 clips make it easy for single-person installation.
- Easy-to-clean, fully enclosed bottom with dishwasher-safe aluminum mesh filter.
- PM300SS is ADA compliant; remote operation is possible using a standard UL approved wall switch.
- Optional non-duct recirculation kit and filters available for indoor exhaust recirculation.
- Customize the fit with optional stainless steel liners.
- Works with optional universal make-up air dampers.
- PM400SS is ENERGY STAR® certified.
- Available in a stainless steel finish.



**PM300SS** 300 CFM | 3.0 Sones



21"

**PM400SS** 400 CFM | 1.0 Sone



21"





#### **Alta**<sup>™</sup> Series

The sculpted lines of Alta<sup>™</sup> bring sophisticated curves and various air intake and filtration options. Realize new design possibilities while you experience the ultimate in capture efficiency.

- The Captur<sup>™</sup> system's advanced blower design features a forward positioned centric inlet to remove smoke and odor faster. Forward placement and smooth-flow blower wheel design ensure quiet operation at normal speed.
- LED or halogen lighting illuminate the cooktop and counter area.
- Simple to sophisticated controls: switches, tap-touch, and infrared touchless.
- Dishwasher-safe filter options provide efficient grease removal.
- EZ1 brackets enable single-person installation.
- ADA compliant; remote operation is possible using a standard UL approved wall switch.
- Non-duct capable with use of charcoal filters.
- · Available in stainless steel, black stainless steel, or white finishes.





#### Alta<sup>™</sup> 1 Series

300 CFM | 1.5 Sones











#### Alta™ 3 Series 450 CFM | <0.5 Sones



30" 36"



650 CFM | <0.3 Sones



30" 36"



#### **Glacier Series**

The clean, contemporary shape of Glacier complements any kitchen design. This new design has features like the quiet Captur™ system and brilliant lighting.

- The Captur™ system's advanced blower design features a forward positioned centric inlet to remove smoke and odor faster.
- Max Blower CFM of 300 operating at 1.5 sones at normal speed.
- Two-level halogen to LED bulbs flood the cooktop and surrounding area with generous illumination depending on specific model selected.
- Controls ranging from easy-to-use rocker switches to clean capacitive touch depending on selection.
- Interchangeable filters ranging from open mesh though decorative mesh allow for customization.
- EZ1 brackets make it easy for single-person installation in less than half the time of traditional methods.
- ADA compliant; remote operation is possible using a standard UL approved wall switch.
- Non-duct capable with use of charcoal filters, sold separately,
- · Available in stainless steel, black stainless steel, black, white, or bisque finishes.





#### **BCSD** 300 CFM | 1.5 Sones

24" 30"	24" 30"	24" 30"	30" 36"
36" 42"	36" 42"	36" 42"	

### 300 CFM | 1.5 Sones





#### **Glacier Series**


The clean, contemporary shape of Glacier complements any kitchen design. This new design has features like the quiet Captur<sup>™</sup> system and brilliant lighting.


- The Captur™ system's advanced blower design features a forward positioned centric inlet to remove smoke and odor faster.
- Max Blower CFM options from 375 to 450 operating at 0.5 to 1.5 sones at normal speed.
- Two-level halogen to LED bulbs flood the cooktop and surrounding area with generous illumination depending on specific model selected.
- Controls ranging from easy-to-use rocker switches to clean capacitive touch depending on selection.
- Interchangeable filters ranging from open mesh though decorative mesh allow for customization.
- EZ1 brackets make it easy for single-person installation in less than half the time of traditional methods.
- ADA compliant; remote operation is possible using a standard UL approved wall switch.
- Non-duct capable with use of charcoal filters, sold separately.
- Available in stainless steel, black stainless steel, black, or white finishes.





#### BCDF 375 CFM | 1.5 Sones







#### **Downdraft Series**

It's there when you need powerful ventilation, yet invisible when not in use. Broan downdraft range hoods are a perfect solution for island installations, keeping the view unobstructed while confidently controlling cooking effluents.

- Hood rises when activated and disappears flush with cooktop surface.
- Infinitely adjustable control is designed to provide convenient access to govern the blower speed for effective and quiet operation.
- Optional remote control on RMDD activates downdraft from an alternate location.
- Heat Sentry<sup>™</sup> detects excessive heat and adjusts blower speed to high automatically.
- Dishwasher-safe filters are easy to remove and feature a stylish brushed stainless steel appearance for a professional look.
- Unique ducting capability allows the internal or remote blower connection to be ducted to the left, right or downward.
- Not for installations behind ovens.
- Available in a stainless steel finish.





#### **RMDD**


High 500 CFM | 10.5 Sones Low 230 CFM | 3.0 Sones



Low 230 CFM | 3.0 Sones



30" 36"



## THE LEADER IN RESIDENTIAL INDOOR AIR QUALITY. COME HOME TO FRESH AIR.

Broan-NuTone® is America's leading brand of residential ventilation products, including range hoods, ventilation fans, fresh air systems, and automated whole home indoor air quality monitoring and ventilation system.



BROAN-NUTONE.COM | 800-558-1711 | 926 WEST STATE STREET, HARTFORD, WISCONSIN 53027